CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 91, 1998

A

Adamczyk, J. J., Jr., 539
Adang, M. J., 1239
Akey, D. H., 263
Akroush, A. M., 841
Alali, F. Q., 641
Alammar, N., 841
Alexander, S. M., 528
Ali, A., 1375
All, J. N., 987, 1239
Alm, S. R., 243, 256
Alstad, D. N., 572, 579
Alvarez, L. A., 1397
Anderson, A. W., 522
Anderson, P. L., 1186
Anderson, R. M., 1464
Andow, D. A., 572, 579
Antignus, Y., 1401
Appel, A. G., 473, 1136
Archer, T. L., 741
Arends, J. J., 1295
Arpaia, S., 21
Arthur, F. H., 309, 773
Auger, P., 802

B

Baker, G. T., 1471
Baker, J. E., 50, 899, 1445
Banken, J. A. O., 1
Barker, J. F., 1084
Barney, R. J., 1449
Bartels, D. W., 1349
Barthes, D., 802
Bartlett, A., 869
Batterham, P., 367, 847
Baur, M. E., 1089
Baxendale, F., 340, 1167
Beeman, R. W., 50, 1232
Beers, E. H., 352
Behle, R. W., 1058
Bennett, G. W., 641
Bennett, K. V., 528
Bennett, R., 1320
Bentz, J.-A., 608
Bernard, D., 507
Bernklau, E. J., 444, 1331
Bessin, R., 558
Biddinger, D. J., 200
Binns, M. R., 671
Bitondi, M. M. G., 1284
Bjostad, L. B., 444, 1331
Bloem, K. A., 1122
Bloem, S., 1122
Boetel, M. A., 274
Boethel, D. J., 401, 1044
Bolin, P. C., 579
Borden, J. H., 1142, 1150
Borth, W. B., 693
Bouchard, A., 324
Bourassa, S., 324
Bouvier, J.-C., 1225
Bowling, R., 1219
Boyd, M. L., 401, 1044
Brandenburg, R. L., 1482
Brandl, D. G., 1437
Braverman, Y., 486
Brenner, R. J., 1131
Brewer, G. J., 779
Briggs, T. H., 708
Brodeur, J., 324
Brooks, W. M., 1295
Brosse, V., 1225
Broza, M., 834
Brushwood, D. E., 1196
Buckley, P. M., 1213, 1471
Buntin, G. D., 987, 1239
Burris, E., 827
Butine, M. D., 159

C

Calderone, N. W., 851
Campbell, L. G., 522
Campbell, P. M., 367
Capinera, J. L., 76
Caprio, M. A., 1020
Cardona, C., 981
Cardwell, K. F., 433
Carrière, Y., 324
Casagrande, R. A., 243, 256
Castro-Franco, R., 86
Chandler, L. D., 274, 594
Chapman, J. W., 915
Charnley, A. K., 41
Chaudhury, M. F., 1397
Chilcutt, C. F., 1089
Chiriatti, K., 21
Chizov-Ginzburg, A., 486
Christeller, J. T., 1265
Chu, C. C., 1415
Chung, C. S., 1005
Church, G. E., 539
Clemens, C. G., 1044
Cloutier, C., 1096
Cochrane, B. J., 1245
Cohen, S., 1401
Coleman, R. J., 101
Collins, P. J., 1208
Connolly, P. G., 767, 1458
Converse, V., 428
Coop, L. B., 94
Cooper, J., 1011
Cranshaw, W., 557
Cranshaw, W. S., 250
Crawford, P. J., 1295
Cremonez, T. M., 1284
Croft, B. A., 94, 1307
Cummings, R. B., 182
Curtis, C. E., 1437

D

Darvas, B., 1260
Daterman, G. E., 500
Davis, F. M., 1213, 1471
Davis, J. C., 608
Davis, L. K., 1360
De Campos Pereira, M., 153
DeGooyer, T. A., 143
de Guzman, L. I., 1078
De Jong, D., 1284
Delatte, G. T., 1078
De Mackiewicz, D., 940
Dentener, P. R., 528, 767
Diarisso, N. Y., 1464

Dietrich, D. R., 34
Dillon, R. J., 41
Dimock, M. B., 1302
Dipirro, M., 1186
Dively, G. P., 376
Djomamou, B., 1366
Dobesh, S. M., 30
Dogterom, M. H., 71
Douches, D. S., 552
Dover, B. A., 1445
Dowd, P. F., 796, 1058
Dowell, F. E., 899
Downey, D. L., 64
Dregseth, R., 522
Dunley, J. E., 352

E

Elkinton, J. S., 1162
Ellsworth, P. C., 1415
English-Loeb, G., 507
Epsky, N. D., 1355
Evenson, P. D., 274

F

Fan, J., 1173
Farid, A., 334
Fermaud, M., 974
Fernandes, O. A., 1315
Firko, M. J., 933
Fisher, K., 1406
Fleischer, S. J., 940
Flinn, P. W., 320
Follett, P. A., 376, 693
Folwell, R. J., 923
Foster, R., 559
Foster, R. E., 191, 217
Frampton, C., 34
Frank, J. H., 392
Fuller, B. W., 274

G

Galán-Wong, L. J., 86
Gao, H., 779
Gasith, A., 834
Gazit, Y., 1355
Georgis, R., 1302
Gerace, D., 250
Gesner, G., 1320
Getty, G. M., 650
Gibb, T. J., 217
Giorio, G., 21
Gjerde, A., 235
Glogoza, P. A., 457
Gouge, D. H., 869
Gould, F., 585
Goulson, D., 915
Grace, J. K., 905
Grafius, E. J., 552
Grafton-Cardwell, E. E., 235, 812
Graves, J. B., 539, 827
Gray, M. E., 723
Greenberg, L., 910
Greene, G. L., 159
Grewal, P. S., 428, 1302
Griesbach, R. J., 608
Gu, W.-D., 1375
Guo, Y.-J., 159
Guo, Y.-Y., 1253
Guzmán-Novoa, E., 1290

H

Haack, R. A., 492
Haarmann, T. K., 1072
Hadar, D., 1401
Hagstrum, D. W., 1445
Hald, B., 660
Halpern, M., 834
Hammond, R. B., 546
Hansen, J. D., 968
Hao, X., 671
Harrington, B. J., 1232
Harris, M., 1005, 1011
Harris, M. K., 715
Hastings, F. L., 665
Haverty, M. I., 650
Hawthorne, D., 565
Heath, R. R., 1355
Hedin, P. A., 1471
Hell, K., 433
Heller, P. R., 1485
Helm, C. G., 546
Henderson, G., 1481
Hendrix, D. L., 1196
Heng-Moss, T., 340, 1167
Henneberry, T. J., 263, 820, 869, 1196, 1415
Hertlein, M. B., 1277
Hill, T. A., 191
Hiroyoshi, S., 439
Holloway, J. W., 539
Holst, N., 1366
Holsten, E. H., 665
Horowitz, A. R., 1067, 1180
Horton, D. R., 923
Hough-Goldstein, J., 419
Hovland, D. G., 274
Howse, P. E., 915
Hoy, L. E., 287, 1458
Hu, J. S., 693
Huffaker, R. G., 923
Hull, L. A., 200
Hutchins, S. H., 347
Hutchison, W. D., 579, 1349

I

Ingle, S. J., 933
Ishaaya, I., 1067

J

Jackman, J., 1011
Jackson, C. G., 138
Jackson, D. M., 759, 950
Jackson, J. J., 410
Jang, E. B., 293
Jean, C., 1096
Jech, L. F., 1196
Jenkins, D. J., 419
Jessup, A. J., 964
Johnson, G. D., 741
Johnson, J. A., 1437
Johnson, J. B., 334
Johnson-Cicalese, J., 340
Jones, C. J., 1114
Jones, V. P., 693
Joyce, J. A., 398

K

Kaakeh, W., 641
Kamble, S. T., 1051
Kauffman, W. C., 182
Kaufman, D., 1307
Kaya, H. K., 618, 1089
Keever, G. J., 473
Kelemen, M., 1260
Kennedy, G. G., 7
Kerns, D. L., 1038
Khan, I., 361
Khrimian, A. P., 950
King, E. G., 101
Kirst, H. A., 1277
Klotz, J., 910

Klun, J. A., 950
Klungness, L. M., 138
Knapp, J. J., 915
Knight, A. L., 209, 1122
Knutson, A., 1011
Knutson, A. E., 715
Kolsky, O., 486
Kombargi, W. S., 993
Kontsedalov, S., 1067
Kopanic, R. J., Jr., 480
Koppenhöfer, A. M., 618
Kornegay, J. L., 981
Koskela, G., 1307
Kotze, A. C., 601
Krecek, J., 1387
Kreiter, S., 802
Kroening, M., 741
Kuhar, T. P., 957

L

Lacewell, R., 1011
Laing, W. A., 1265
Lampman, R. L., 881
Lapidot, M., 1401
Larson, L. L., 1277
Leblanc, P. V., 699
Lee, L. L., 869
Legg, D. E., 891
Leonard, B. R., 539, 827, 1044
Leonard, D. E., 1162
Leos-Martinez, J., 796
Lester, P. J., 528
Lewis, P. A., 881
Lewthwaite, S. E., 767
Liang, D., 480
Liang, G.-M., 1253
Liburd, O. E., 243, 256
Liebhold, A., 464
Liebhold, A. M., 165
Linduska, J. J., 376
Liu, T.-X., 686
Liu, Y.-B., 1032
Lloyd, J. E., 891
Long, G. E., 923
Long, J. P., 138
López, J. D., Jr., 517
Luna-Olvera, H. A., 86
Luthe, D. S., 1471
Luzader, E., 464

M

Mack, T. P., 473
Madamanchi, N., 280
Madsen, M., 660
Maharajh, B., 1387
Maindonald, J. H., 528, 767, 1458
Maltais, P. M., 699
Mangan, R. L., 933
Margolies, D., 1219
Markham, R. H., 1366
Markwick, N. P., 1265
Marsh, T. L., 923
Martin, P. A. W., 864
Martinson, T., 507
Mascarenhas, R. N., 1044
Mascarenhas, V. J., 827
Masoumi, A., 367
Mastro, V. C., 1162
Matsuoka, H., 1383
Matteoni, J. A., 71
Mayo, Z. B., 1315
McCoy, C. W., 110, 1173
McCullough, D. G., 492, 785
McDonald, R. M., 1458
McGovern, W. L., 631, 637
McGuire, M. R., 86, 1058, 1109
Mchenry, J. Z., 1265
McKenzie, J. A., 367, 847
McLane, W. H., 492
McLaughlin, J. L., 641
Medrano-Roldán, H., 86
Meikle, W. G., 1366
Meinke, L. J., 594
Messika, Y., 1401
Messing, R. H., 693
Metcalf, R. L., 881
Michaels, T. E., 981
Michelakis, S. E., 993
Milbrath, L. R., 1186
Millar, J. G., 132, 715
Miller, G. T., 293
Miller, J. A., 655
Milonas, P. G., 1341
Mitcham, E. J., 1427
Mittelhammer, R. C., 923
Morales-Ramos, J. A., 101
Morford, M., 534
Moriya, S., 439
Morse, J. G., 235, 361
Moyal, P., 512

N

Nagata, R. T., 999
Naranjo, S. E., 1415
Nault, B. A., 7
Nayak, M. K., 1208
Neal, J. J., 1232
Neal, J. W., Jr., 608
Nelsen, T. C., 1058
Nelson, R., 546
Neven, L., 562
Neven, L. G., 297, 302, 534
Newton, M. R., 1265
Nguama, B., 41
Nichols, R. L., 1415
Nishimatsu, T., 410
Norwood, S., 280
Nuckle, J. R., 699
Nuessly, G. S., 999

O

Oakeshott, J. G., 367
O'Connor, G. M., 528
Oehler, D. D., 655
Oi, F. M., 1131
Olsen, A., 660
Onstad, D. W., 585
Oouchi, H., 41
Orzolek, M. D., 940
Osbrink, W. L. A., 1131
Otjen, L., 940
Ouyang, Y., 812

P

Page, R. E., Jr., 1290
Palumbo, J. C., 1038
Pang, Y.-H., 579
Pap, L., 1260
Park, N.-J., 1051
Parkman, J. P., 392
Peairs, F. B., 741
Pedigo, L. P., 143, 347
Pendleton, B. B., 1464
Pereira, R. M., 76

Perez-Mendoza, J., 50, 1445
Pesek, J. D., Jr., 419
Peterson, G. C., 1464
Petrakis, C. A., 993
Petry, R. J., 528
Pett, W., 552
Pike, K. S., 741
Pitts, J. A., 708
Plowright, R. C., 71
Podgwaite, J. D., 875
Poland, T. M., 1142, 1150
Polavarapu, S., 243
Polgár, L. A., 1260
Porat, R., 834
Pound, J. M., 655
Powell, J. E., 1131
Prabhaker, N., 820
Pratt, P. D., 1307
Prieto-Merlos, D., 1290
Prokopy, R. J., 226
Pulliam, D. A., 1239

Q

Quinn, N. M., 964
Quintela, E. D., 110, 1173
Quisenberry, S. S., 334

R

Rajotte, E. G., 200
Ramachandran, S., 987, 1239
Ramos, L. H. M., 1109
Ramos, M., 624
Rao, M. B., 457
Ravlin, F. W., 464
Ray, S., 1232
Raymer, P. L., 987, 1239
Reardon, R., 464
Ree, B., 1011
Reid, S. R., 1208
Rice, M. E., 143
Rice, R. E., 132
Richmond, R. C., 1245
Rider, S. D., Jr., 30, 388
Riedl, H., 352
Riley, D. G., 1415
Rinderer, T. E., 1078
Riordan, T., 340, 1167
Roberts, A., 464
Roberts, E. A., 165
Robertson, J. L., 1433
Roderick, G. K., 376
Rodriguez-Del-Bosque, L. A., 796
Roelofs, W. L., 480
Roininen, H., 175
Roitberg, B. D., 123
Rojas, M. G., 101
Rose, H. A., 601
Ross, D. W., 500
Ross, M. H., 150
Rössler, Y., 1355
Rousi, M., 175
Rugg, D., 601
Rumpf, S., 34
Russell, R. J., 367

S

Sadof, C. S., 785
Saleh, E. F., 841
Salse, J., 812
Santamour, F. S., Jr., 608
Santos, L., 267, 748
Saran, A., 486
Saranpää, P., 175
Sauphanor, B., 1225
Savopoulou-Soultani, M., 1341
Schaafsma, A. W., 981
Schal, C., 480
Scheffrahn, R. H., 1387
Schmaedick, M. A., 329
Schmidtmann, E. T., 864
Schneider, E. L., 293
Schneider, H., 1366
Schulthess, F., 433
Sclar, D. C., 250
Sentenac, G., 802
Sétamou, M., 433
Shafii, B., 334
Sharov, A., 464
Sharov, A. A., 165
Sharp, J. L., 968
Shasha, B. S., 1058
Shaw, D. V., 678
Shea, P. J., 665
Shellie, K. C., 933
Shelton, A. M., 329, 624
Sheppard, D. C., 398
Shi, G., 1360
Shields, E. J., 267, 748
Shipp, J. L., 671
Siegfried, B. D., 594
Sieglaff, D. H., 76
Simmons, A. M., 950
Simmons, F. W., 1058
Sisson, V. A., 759
Slavicek, J. M., 875
Sloggett, R. F., 964
Smith, L. J., 522
Smith, L. M., II, 473
Soderstrom, E. L., 1437
Sorensen, K. A., 950
Sparks, T. C., 1277
Spivak, M., 64
Stahnke, G. K., 1224
Stansly, P. A., 686
Stanyard, M. J., 217
Stark, J. D., 1
Stavridis, D. G., 1341
Steffey, K. L., 723
Stewart, C. N., Jr., 1239
Struttmann, J. M., 891
Stuart, J. J., 1232
Su, N.-Y., 1387
Subramanyam, B., 280
Sweeney, J., 1320

T

Tabashnik, B. E., 1032, 1089, 1239
Taft, T., Jr., 507
Tamez-Guerra, P., 86
Tan, W.-J., 1253
Tebbets, J. S., 1437
Teetes, G. L., 1464
Tellez, T., 1038
Teltsch, B., 834
Thibault, S. T., 1277
Thomas, J. C., 841
Thompson, D. R., 601
Thompson, G. D., 1277
Thorpe, K. W., 875
Throne, J. E., 50, 899
Toba, H. H., 923
Toscano, N. C., 56, 820
Tsunoda, K., 1383
Turcotte, R. M., 851

U

Ullman, D. E., 693
Unruh, T., 1483

V
Vail, P. V., 1437
Valero, K. A., 1437
Valles, S. M., 1131
Van Beek, N. A. M., 1302
Vandenberg, J. D., 624
Van Liempt, A., 1387
vanRanden, E. J., 123
Van Vleet, S. M., 891
Vavrina, C. S., 686
Vega, F. E., 1058
Venn, E. C., 910
Vennard, C., 41
Villavaso, E. J., 631, 637
Vowotor, K. A., 1366
Vrain, T., 1320

W
Wagner, T. L., 631, 637
Walsh, D. B., 678
Waltz, R. D., 182
Wang, K., 671
Wang, Q., 1360
Warthen, J. D., Jr., 608
Watson, T. F., 1415
Webb, K., 1302
Webb, R. E., 875
Weintraub, P. G., 1067, 1180
Weinzierl, R. A., 1114
Weiss, M. J., 457, 1186
Welch, J. B., 1397
Werner, R. A., 665
Westedt, A. L., 552
Weston, P. A., 1449
Wheeler, G. S., 1387
Whiting, D. C., 287, 1458
Wilde, G., 1219
Wilde, G. E., 30, 388
Wilkinson, L. M., 999
Willers, J. L., 631
Williams, W. P., 1213, 1471
Wilsey, W. T., 329, 624
Windelspecht, M., 1245
Wong, L. J. G., 1109
Woodrow, R. J., 905
Worden, T. V., 1277
Wright, R. J., 594, 1315
Wright, S. E., 226
Wylde, A. M., 981

Y
Yee, W. L., 56
Yen, J. L., 367, 847
Yeruham, I., 486
Ylioja, T., 175
Yokoyama, V. Y., 293, 1433
Yoshimura, T., 1383
Young, J., 1011
Youngman, R. R., 957

Z
Zack, R. S., 561
Zalom, F. G., 678
Zehnder, G. W., 708
Zhang, A., 480
Zhou, G., 464
Zhou, S., 1427
Zlotina, M. A., 1162

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 91, 1998

A

Acalymma vittata,
bacterial wilt, 940
Erwinia tracheiphila, 940
Acarapis woodi,
Apis mellifera, 1078
honey bee, 1078
acaricide,
Amblyseius fallacis, 217
Panonychus ulmi, 217
Acrobasis,
Pecan nut casebearer, 1005
pecan weevil, 1005
actograph,
flight mill, 439
sweetpotato weevil, 439
Aculus schlechtendali,
Amblyseius fallacis, 191
Panonychus ulmi, 191
Aedes aegypti,
halofenozide, 1260
methoxyfenozide, 1260
Africanized,
Apis mellifera, 1290
queen acceptance, 1290
aggregation pheromones,
Dendroctonus pseudotsugae, 500
Thanasimus undatulus, 500
Agrotis ipsilon, 267, 748
corn, 267
corn silage, 748
larval development, 267
yield loss, 748
alfalfa,
crop quality, 347
Empoasca fabae, 347
alleochemicals,
antifeedant, 841
neuroactive compounds, 841
Alphitobius diaperinus,
Beauveria bassiana, 1295
microbial control, 1295
Amblyomma americanum,
Haematobia irritans, 655
ivermectin, 655
Amblyseius fallacis, 191, 217
acaricide, 217
Aculus schlechtendali, 191
Panonychus ulmi, 191, 217
ammonia baits,
Rhagoletis mendax, 243
traps, 243
α-amylase inhibitors,
leafrollers, 1265
protease inhibitors, 1265
Anagrapha falcifera nuclear polyhedrosis virus,
biological control, 1302
cytoplasma polyhedrosis virus, 1302
Anastrepha ludens,
forced-air treatment, 933
high temperature treatment, 933
Anastrepha suspensa,
crowding, 968
survival, 968
Angoumois grain moth,
lesser grain borer, 899
rice weevil, 899
Anisopteromalus calandrae,
biological control, 50
parasitoid, 50
annonaceous acetogenins,
bait, 641
Blattella germanica, 641
ant baits,
boric acid, 910
Linepithema humile, 910
Anthonomus grandis, 101, 631, 637
artificial diet, 101
bait stick, 637
field release, 631
irradiation, 631
parasitoid, 101
pheromone trap, 637
antifeedant,
alleochemicals, 841
neuroactive compounds, 841
Apis mellifera, 851, 1072, 1078, 1284, 1290
Acarapis woodi, 1078
Africanized, 1290

contamination, 1072
honey bee, 851, 1078
honey bees, 1072
nutrition, 1284
queen acceptance, 1290
Varroa jacobsoni, 851
vitellogenin, 1284
apple,
Cydia pomonella, 209
evaporative cooling, 209
armored scale,
electrophoresis, 812
insecticide resistance, 812
artificial diet,
Anthonomus grandis, 101
parasitoid, 101
Aspergillus flavus, 433, 796
insect damage, 433
Mussidia nigrivenella, 433
sap beetles, 796
seasonality, 796

B

Bacillus thuringiensis, 21, 552, 579, 1021, 1032, 1044, 1084, 1109, 1239, 1253
Brassica napus, 1239
Cochylis hospes, 1084
European corn borer, 579
formulation, 1109
genetic engineering, 552
Helicoverpa armigera, 1253
insecticide bioassays, 1044
insecticide resistance, 1021
insecticide resistance alleviation, 1253
leptine, 552
Leptinotarsa decemlineata, 21, 21
Plutella xylostella, 1032, 1239
resistance, 1032
resistance management, 579, 1021
simulation model, 21, 21
soybean looper, 1044
sunflower insect, 1084
Trichoplusia ni, 1109
Bacillus thuringiensis endotoxin,
resistance management, 572
transgenic crops, 572
Bacillus thuringiensis tenebrionis,
biological control, 1096
Perillus bioculatus, 1096
bacterial wilt,
Acalymma vittata, 940
Erwinia tracheiphila, 940
Bactrocera,
Ceratitis capitata, 138
fruit flies, 138
Bactrocera oleae,
epicuticular wax, 993
Oleae europaea, 993
Bactrocera tryoni,
Vaccinium ashei, 964
Vaccinium corymbosum, 964
bait,
annonaceous acetogenins, 641
Blattella germanica, 641
bait application,
colony elimination, 1383
Reticulitermes, 1383
bait stick,
Anthonomus grandis, 637
pheromone trap, 637
bark beetles, 132, 492
Christmas trees, 492
quarantine, 182
Tomicus piniperda, 182, 492
barrier zone,
biological invasion, 165
Lymantria dispar, 165
Beauveria bassiana, 110, 1295
Alphitobius diaperinus, 1295
Metarhizium anisopliae, 110
microbial control, 1295
synergism, 110
beet armyworm,
diet bioassays, 827
insecticide resistance monitoring, 827
behavior,
Blattella germanica, 150
chlorpyrifos, 150
Bemisia argentifolii, 608, 686, 1196, 1401, 1415
Bemisia tabaci Biotype B, 1415
cotton, 1196
Gossypium hirsutum, 1415
imidacloprid, 686
Liriomyza trifolii, 1401
Tetranychus telarius, 1401
Tetranychus urticae, 608
tomato, 686
Trialeurodes vaporariorum, 608

whiteflies, 1196
Bemisia tabaci Biotype B,
Bemisia argentifolii, 1415
Gossypium hirsutum, 1415
beneficial arthropods,
buffalograss, 1167
natural enemies, 1167
Beta vulgaris,
Tetanops myopaeformis, 522
yield reduction, 522
Betula,
larval tunnel, 175
Phytobia betulae, 175
bias,
insect lower developmental thresholds, 891
variability, 891
bifenthrin,
insecticide resistance, 820
whiteflies, 820
bioassay, 361, 444, 1331
citrus pest management, 361
Diabrotica virgifera virgifera, 444, 1331
Scirtothrips citri, 361
Zea mays, 444, 1331
bioassay technique,
Frankliniella occidentalis, 1067
rearing technique, 1067
biocontrol,
Borrelia burgdorferi, 864
Ixodes scapularis, 864
biological control, 50, 94, 320, 1096, 1302, 1307, 1315
Anagrapha falciferà nuclear polyhedrosis virus, 1302
Anisopteromalus calandrae, 50
Bacillus thuringiensis tenebrionis, 1096
Choetospila elegans, 320
cytoplasma polyhedrosis virus, 1302
greenbugs, 1315
Neoseiulus cucumeris, 1307
Neoseiulus fallacis, 1307
parasitoid, 50
parasitoids, 1315
Perillus bioculatus, 1096
Phytoseiidae, 94
Rhyzopertha dominica, 320
Tetranychus urticae, 94
biological invasion,
barrier zone, 165
Lymantria dispar, 165
biology,
Boophilus microplus, 153
eggs, 153
biotypes,
development time, 1219
Schizaphis graminum, 1219
blacklight trap,
Ostrinia nubilalis, 1349
pheromone trap, 1349
Blattella germanica, 150, 641, 1051, 1136
annonaceous acetogenins, 641
bait, 641
behavior, 150
chlorpyrifos, 150
distribution, 1136
esterase, 1051
insecticide resistance, 1051
trap-catch, 1136
Blissus leucopterus,
fungal endophyte, 324
habitat selection, 324
Bombus vosnesenskii,
pollination, 71
tomatoes, 71
Boophilus microplus,
biology, 153
eggs, 153
borates,
Incisitermes snyderi, 1387
spinosad, 1387
boric acid,
ant baits, 910
Linepithema humile, 910
Borrelia burgdorferi,
biocontrol, 864
Ixodes scapularis, 864
Brassica napus, 987, 1239
Bacillus thuringiensis, 1239
Brassica oleracea, 987
Plutella xylostella, 987, 1239
Brassica oleracea,
Brassica napus, 987
Plutella xylostella, 987
buffalograss,
beneficial arthropods, 1167
natural enemies, 1167

C

cabbage,
host plant resistance, 329
Thrips tabaci, 329
cabbage aphid,
cabbage maggot, 256
flea beetle, 256
cabbage maggot,
cabbage aphid, 256
flea beetle, 256
carbaryl,
Dendroctonus control, 665
residues, 665
carbon dioxide,
controlled atmospheres, 1427
Tetranychus pacificus, 1427
Carpophilus,
Helicoverpa, 1058
Orius, 1058
Carya illinoensis,
pecan nut casebearer, 715
pheromone, 715
Cerambycidae,
fecundity, 1360
Oemona hirta, 1360
Ceratitis capitata, 138, 293, 1355, 1406
Bactrocera, 138
fruit flies, 138
genetic sexing strain, 1406
Gossypium hirsutum, 293
protein, 1355
quarantine, 293
temperature sensitive lethal, 1406
traps, 1355
chalkbrood,
honey bee hygienic behavior, 64
Varroa, 64
chemical control,
citrus thrips, 235
yield, 235
chironomid,
Chironomus luridus, 834
chloramine, 834
Chironomidae larvae,
Glyptotendipes paripes, 1375
Tanypodinae, 1375
Chironomus luridus,
chironomid, 834
chloramine, 834
chloramine,
chironomid, 834
Chironomus luridus, 834
chlorfenapyr,
Haematobia irritans, 398
pyrethroid resistance management, 398
chlorpyrifos,
behavior, 150
Blattella germanica, 150
Choetospila elegans,
biological control, 320
Rhyzopertha dominica, 320
Christmas trees,
bark beetles, 492
Tomicus piniperda, 492
citrus pest management,
bioassay, 361
Scirtothrips citri, 361
citrus thrips,
chemical control, 235
yield, 235
Cochliomyia hominivorax,
diet, 1397
spray dried animal blood, 1397
Cochylis hospes,
Bacillus thuringiensis, 1084
sunflower insect, 1084
codling moth, 302, 1122
quality control, 1122
quarantine, 302
respiration, 302
sterile insect technique, 1122
cold storage,
Cydia pomonella, 528
fumigation, 528
colony elimination,
bait application, 1383
Reticulitermes, 1383
Colorado potato beetle,
defoliation, 7
yield, 7
common bean,
Empoasca fabae, 981
resistance, 981
Conotrachelus nenuphar,
insect behavior, 226
insect traps, 226
contamination,
Apis mellifera, 1072
honey bees, 1072
control,
Israel, 486

Vespula germanica, 486
controlled atmospheres,
carbon dioxide, 1427
Tetranychus pacificus, 1427
corn, 86, 267, 457
Agrotis ipsilon, 267
formulation, 86
granules, 86
larval development, 267
sampling, 457
white grub, 457
corn rootworms,
fecundity, 274
insecticide rates, 274
corn silage,
Agrotis ipsilon, 748
yield loss, 748
cotton, 263, 1196
Bemisia argentifolii, 1196
insecticide timing, 263
Spodoptera exigua, 263
whiteflies, 1196
cover crop,
legumes, 1186
Melanoplus, 1186
crop loss,
damage, 512
maize borers, 512
crop quality,
alfalfa, 347
Empoasca fabae, 347
cross-resistance, 1038, 1225
Cydia pomonella, 1225
insecticide resistance, 1038
selection, 1225
Spodoptera exigua, 1038
crowding, 968, 1445
Anastrepha suspensa, 968
flight initiation, 1445
Rhyzopertha dominica, 1445
survival, 968
crucifers,
insecticide resistance, 624
Plutella xylostella, 624
Cryptotermes brevis,
temperature, 905
thermotolerance, 905
Cyclocephala,
Heterorhabditis, 618
insect-parasitic nematodes, 618
Cyclocephala hirta,
Heterorhabditis spp., 428
Steinernema spp., 428
Cydia pomonella, 209, 297, 528, 534, 1225, 1433
apple, 209
cold storage, 528
cross-resistance, 1225
evaporative cooling, 209
fumigation, 528, 1433
heating rate, 297
irradiation, 534
LT_{95}, 297
nectarines, 1433
phenoloxidase, 534
selection, 1225
cyfluthrin, 309, 773
red flour beetle, 309, 773
sanitation, 773
treated surfaces, 309
cylindrical Alsynite traps,
habitat-oriented movement, 159
Stomoxys calcitrans, 159
cyromazine,
Lucilia cuprina, 847
reproduction, 847
cytochrome P450,
Reticulitermes virginicus, 1131
termite, 1131
cytoplasma polyhedrosis virus,
Anagrapha falcifera nuclear polyhedrosis virus, 1302
biological control, 1302

D

damage,
crop loss, 512
maize borers, 512
defoliation,
Colorado potato beetle, 7
yield, 7
Dendroctonus control,
carbaryl, 665
residues, 665
Dendroctonus pseudotsugae,
aggregation pheromones, 500
Thanasimus undatulus, 500
Dendroctonus rufipennis, 1142, 1150
Dryocoetes affaber, 1142, 1150
Ips tridens, 1142, 1150
development time,
biotypes, 1219

Schizaphis graminum, 1219
developmental biology,
Diaprepes abbreviatus, 1173
root weevil, 1173
Diabrotica,
kairomonal attractants, 881
rootworms, 881
Diabrotica spp.,
maize, 723
root injury, 723
Diabrotica virgifera virgifera, 444, 594, 957, 1331
bioassay, 444, 1331
economic thresholds, 957
methyl parathion, 594
resistance, 594
sticky traps, 957
Zea mays, 444, 1331
Diaeretiella rapae,
Diuraphis noxia, 334
wheat resistance, 334
Diaphania nitidalis,
pheromone lure, 950
trapping, 950
Diaprepes abbreviatus,
developmental biology, 1173
root weevil, 1173
Diatraea grandiosella, 1213, 1471
Spodoptera frugiperda, 1213, 1471
Zea mays, 1213, 1471
diet,
Cochliomyia hominivorax, 1397
spray dried animal blood, 1397
diet bioassays,
beet armyworm, 827
insecticide resistance monitoring, 827
Diglyphus isaea,
insecticides, 1180
Liriomyza huidobrensis, 1180
distribution,
Blattella germanica, 1136
trap-catch, 1136
Diuraphis noxia,
Diaeretiella rapae, 334
wheat resistance, 334
Drosophila melanogaster,
Drosophila simulans, 1245
malathion, 1245
Drosophila simulans,
Drosophila melanogaster, 1245
malathion, 1245
Dryocoetes affaber, 1142, 1150
Dendroctonus rufipennis, 1142, 1150
Ips tridens, 1142, 1150

E

economic injury level,
Frankliniella occidentalis, 671
sweet pepper, 671
economic thresholds,
Diabrotica virgifera virgifera, 957
sticky traps, 957
economics of integrated pest management,
evaluation of integrated pest management, 1011
pecan integrated pest management, 1011
ecotoxicology,
exposure, 1
lady beetles, 1
egg mass,
gypsy moth, 464
sampling, 464
eggs,
biology, 153
Boophilus microplus, 153
electrophoresis,
armored scale, 812
insecticide resistance, 812
Empoasca fabae, 143, 347, 981
alfalfa, 347
common bean, 981
crop quality, 347
management program, 143
resistance, 981
sampling techniques, 143
enumerative sampling,
Prostephanus truncatus, 1366
Sitophilus zeamais, 1366
epicuticular wax,
Bactrocera oleae, 993
Oleae europaea, 993
Epilachna varivestis,
host plant resistance, 546
soybean, 546
Epiphyas postvittana, 287, 1458
high-pressure water washing, 1458
high-temperature controlled atmosphere, 287
Pseudococcus viburni, 1458
temperature establishment, 287

Erwinia tracheiphila,
Acalymma vittata, 940
bacterial wilt, 940
esterase, 30, 367, 388, 1051
Blattella germanica, 1051
fecundity, 388
greenbug, 30, 388
insecticide resistance, 1051
Lucilia cuprina, 367
organophosphorus insecticide resistance, 367
Schizaphis graminum, 30
ethanol,
immersion, 767
Tetranychus urticae, 767
European corn borer,
Bacillus thuringiensis, 579
resistance management, 579
evaluation of integrated pest management,
economics of integrated pest management, 1011
pecan integrated pest management, 1011
evaporative cooling,
apple, 209
Cydia pomonella, 209
evolutionary prediction,
Liriomyza trifolii, 565
pest evolution, 565
exposure,
ecotoxicology, 1
lady beetles, 1

F

fall armyworm,
Lepidoptera, 539
Spodoptera, 539
fecundity, 274, 388, 1360
Cerambycidae, 1360
corn rootworms, 274
esterase, 388
greenbug, 388
insecticide rates, 274
Oemona hirta, 1360
female sex pheromone,
(Z)-9-tricosene, 915
Musca domestica, 915
field release,
Anthonomus grandis, 631
irradiation, 631
flea beetle,
cabbage aphid, 256
cabbage maggot, 256
flight initiation,
crowding, 1445
Rhyzopertha dominica, 1445
flight mill,
actograph, 439
sweetpotato weevil, 439
forced-air treatment,
Anastrepha ludens, 933
high temperature treatment, 933
formulation, 86, 1109
Bacillus thuringiensis, 1109
corn, 86
granules, 86
Trichoplusia ni, 1109
Fragaria,
strawberry, 678
Tetranychus urticae, 678
Frankliniella occidentalis, 671, 1067
bioassay technique, 1067
economic injury level, 671
rearing technique, 1067
sweet pepper, 671
fruit flies,
Bactrocera, 138
Ceratitis capitata, 138
fumigation, 528, 1433
cold storage, 528
Cydia pomonella, 528, 1433
nectarines, 1433
fungal endophyte,
Blissus leucopterus, 324
habitat selection, 324
fungicides,
toxicity, 802
Typhlodromus pyri, 802

G

genetic engineering,
Bacillus thuringiensis, 552
leptine, 552
genetic mapping,
pyrethroid resistance, 1232
Tribolium castaneum, 1232
genetic sexing strain,
Ceratitis capitata, 1406
temperature sensitive lethal, 1406
Gloeophylum trabeum,
Postia placenta, 650
Reticulitermes, 650

Glyptotendipes paripes,
Chironomidae larvae, 1375
Tanypodinae, 1375
Gossypium hirsutum, 293, 1415
Bemisia argentifolii, 1415
Bemisia tabaci Biotype B, 1415
Ceratitis capitata, 293
quarantine, 293
granules,
corn, 86
formulation, 86
grapes,
Taedia scrupeus, 507
Vitis, 507
grasshoppers,
Metarhizium flavoviride, 76
Schistocera americana, 76
greenbug, 30, 388
esterase, 30, 388
fecundity, 388
Schizaphis graminum, 30
greenbugs,
biological control, 1315
parasitoids, 1315
Gypchek,
gypsy moth nucleopolyhedrosis virus, 875
Lymantria dispar, 875
gypsy moth,
egg mass, 464
sampling, 464
gypsy moth nucleopolyhedrosis virus,
Gypchek, 875
Lymantria dispar, 875

H

habitat selection,
Blissus leucopterus, 324
fungal endophyte, 324
habitat-oriented movement,
cylindrical Alsynite traps, 159
Stomoxys calcitrans, 159
Haematobia irritans, 398, 655
Amblyomma americanum, 655
chlorfenapyr, 398
ivermectin, 655
pyrethroid resistance management, 398
halofenozide,
Aedes aegypti, 1260
methoxyfenozide, 1260
heating rate,
Cydia pomonella, 297
LT_{95}, 297
Helianthus annuus,
host plant resistance, 779
Smicronyx fulvus, 779
Helicoverpa,
Carpophilus, 1058
Orius, 1058
Helicoverpa armigera,
Bacillus thuringiensis, 1253
insecticide resistance alleviation, 1253
Heliothis virescens,
Nicotiana kawakamii, 759
pest management, 759
Heliothis virescens spinosad,
spinosyn, 1277
tobacco budworm, 1277
Hemiptera,
modes of uptake, 401
predators, 401
Heterorhabditis,
Cyclocephala, 618
insect-parasitic nematodes, 618
Heterorhabditis bacteriophora,
Steinernema carpocapsae, 410
synergy, 410
Heterorhabditis entomopathogenic nematodes,
Pectinophora gossypiella, 869
Steinernema, 869
Heterorhabditis spp.,
Cyclocephala hirta, 428
Steinernema spp., 428
high temperature treatment,
Anastrepha ludens, 933
forced-air treatment, 933
high-pressure water washing,
Epiphyas postvittana, 1458
Pseudococcus viburni, 1458
high-temperature controlled atmosphere,
Epiphyas postvittana, 287
temperature establishment, 287
honey bee, 851, 1078
Acarapis woodi, 1078
Apis mellifera, 851, 1078
Varroa jacobsoni, 851
honey bee hygienic behavior,
chalkbrood, 64

Varroa, 64
honey bees,
Apis mellifera, 1072
contamination, 1072
host plant resistance, 329, 546, 585, 779
cabbage, 329
Epilachna varivestis, 546
Helianthus annuus, 779
Ostrinia nubilalis, 585
simulation model, 585
Smicronyx fulvus, 779
soybean, 546
Thrips tabaci, 329
host plant suitability,
Lymantria mathura, 1162
survival, 1162

I

imidacloprid, 376, 686
Bemisia argentifolii, 686
Leptinotarsa decemlineata, 376
row mixture, 376
tomato, 686
immersion,
ethanol, 767
Tetranychus urticae, 767
Incisitermes snyderi,
borates, 1387
spinosad, 1387
Indianmeal moth,
integrated pest management, 1437
navel orangeworm, 1437
insect behavior,
Conotrachelus nenuphar, 226
insect traps, 226
insect damage,
Aspergillus flavus, 433
Mussidia nigrivenella, 433
insect growth regulators,
Platynota idaeusalis, 200
stage specificity, 200
insect lower developmental thresholds,
bias, 891
variability, 891
insect traps,
Conotrachelus nenuphar, 226
insect behavior, 226
insecta,
Russian wheat aphid, 741
winter wheat, 741
insecticidal baits,
perimeter spray, 473
Periplaneta fuliginosa, 473
insecticide bioassays,
Bacillus thuringiensis, 1044
soybean looper, 1044
insecticide rates,
corn rootworms, 274
fecundity, 274
insecticide resistance, 624, 812, 820, 1021, 1038, 1051
armored scale, 812
Bacillus thuringiensis, 1021
bifenthrin, 820
Blattella germanica, 1051
cross-resistance, 1038
crucifers, 624
electrophoresis, 812
esterase, 1051
Plutella xylostella, 624
resistance management, 1021
Spodoptera exigua, 1038
whiteflies, 820
insecticide resistance alleviation,
Bacillus thuringiensis, 1253
Helicoverpa armigera, 1253
insecticide resistance monitoring,
beet armyworm, 827
diet bioassays, 827
insecticide timing,
cotton, 263
Spodoptera exigua, 263
insecticides,
Diglyphus isaea, 1180
Liriomyza huidobrensis, 1180
insect-parasitic nematodes,
Cyclocephala, 618
Heterorhabditis, 618
integrated pest management, 1089, 1437
Indianmeal moth, 1437
navel orangeworm, 1437
Plutella xylostella, 1089
Rorippa Nasturtium-aquaticum, 1089
Ips tridens, 1142, 1150
Dendroctonus rufipennis, 1142, 1150
Dryocoetes affaber, 1142, 1150
irradiation, 534, 631
Anthonomus grandis, 631
Cydia pomonella, 534
field release, 631

phenoloxidase, 534
Israel,
control, 486
Vespula germanica, 486
ivermectin, 601, 655
Amblyomma americanum, 655
Haematobia irritans, 655
laboratory selection, 601
Lucilia cuprina, 601
Ixodes scapularis,
biocontrol, 864
Borrelia burgdorferi, 864

J

juvenile hormone analog,
Scapteriscus abbreviatus, 392, 392
turfgrass, 392, 392

K

kairomonal attractants,
Diabrotica, 881
rootworms, 881

L

laboratory selection,
ivermectin, 601
Lucilia cuprina, 601
lacewings,
life-table parameters, 34
Micromus tasmaniae, 34
Lactuca sativa,
Liriomyza trifolii, 999
plant breeding, 999
lady beetles,
ecotoxicology, 1
exposure, 1
larval development,
Agrotis ipsilon, 267
corn, 267
larval tunnel,
Betula, 175
Phytobia betulae, 175
leafrollers,
α-amylase inhibitors, 1265
protease inhibitors, 1265
legumes,
cover crop, 1186
Melanoplus, 1186
Lepidoptera, 539, 1341
fall armyworm, 539
Lobesia botrana, 1341
Spodoptera, 539
Tortricidae, 1341
leptine,
Bacillus thuringiensis, 552
genetic engineering, 552
Leptinotarsa decemlineata, 21, 376, 419
Bacillus thuringiensis, 21, 21
imidacloprid, 376
Perillus bioculatus, 419
Podisus maculiventris, 419
row mixture, 376
simulation model, 21, 21
lesser grain borer,
Angoumois grain moth, 899
rice weevil, 899
lettuce,
Spondoptera exigua, 56
synthetic natural insecticides, 56
life-table parameters,
lacewings, 34
Micromus tasmaniae, 34
Linepithema humile,
ant baits, 910
boric acid, 910
Liposcelis bostrychophila,
Liposcelis entomophila, 1208
Liposcelis paeta, 1208
Liposcelis entomophila,
Liposcelis bostrychophila, 1208
Liposcelis paeta, 1208
Liposcelis paeta,
Liposcelis bostrychophila, 1208
Liposcelis entomophila, 1208
Liriomyza huidobrensis,
Diglyphus isaea, 1180
insecticides, 1180
Liriomyza trifolii, 565, 999, 1401
Bemisia argentifolii, 1401
evolutionary prediction, 565
Lactuca sativa, 999
pest evolution, 565
plant breeding, 999
Tetranychus telarius, 1401
Lobesia botrana,
Lepidoptera, 1341
Lobesia botrana,
plant–insect interactions, 974
Lobesia botrana,
Tortricidae, 1341
Lobesia botrana,
Vitis vinifera, 974

locust,
pyriproxyfen, 41
Schistocerca gregaria, 41
LT_{95},
Cydia pomonella, 297
heating rate, 297
Lucilia cuprina, 367, 601, 847
cyromazine, 847
esterase, 367
ivermectin, 601
laboratory selection, 601
organophosphorus insecticide resistance, 367
reproduction, 847
Lymantria dispar, 165, 875
barrier zone, 165
biological invasion, 165
Gypchek, 875
gypsy moth nucleopolyhedrosis virus, 875
Lymantria mathura,
host plant suitability, 1162
survival, 1162

M

maize,
Diabrotica spp., 723
root injury, 723
maize borers,
crop loss, 512
damage, 512
malathion,
Drosophila melanogaster, 1245
Drosophila simulans, 1245
management program,
Empoasca fabae, 143
sampling techniques, 143
mealybugs,
Tridiscus sporoboli, 340
Trionymus sp., 340
Melanoplus,
cover crop, 1186
legumes, 1186
Metarhizium anisopliae,
Beauveria bassiana, 110
synergism, 110
Metarhizium flavoviride,
grasshoppers, 76
Schistocera americana, 76
methoxyfenozide,
Aedes aegypti, 1260
halofenozide, 1260
methyl parathion,
Diabrotica virgifera virgifera, 594
resistance, 594
microbial control,
Alphitobius diaperinus, 1295
Beauveria bassiana, 1295
Micromus tasmaniae,
lacewings, 34
life-table parameters, 34
modes of uptake,
Hemiptera, 401
predators, 401
mulch,
Steinernema, 1320
Strobilomyia neanthracina, 1320
Musca domestica,
(Z)-9-tricosene, 915
female sex pheromone, 915
Muscidifurax zaraptor,
Spalangia nigroaenea, 1114
Stomoxys calcitrans, 1114
Mussidia nigrivenella,
Aspergillus flavus, 433
insect damage, 433
Myzus persicae,
pest management, 923
potato leafroll virus, 923

N

natural enemies,
beneficial arthropods, 1167
buffalograss, 1167
Naupactus spp.,
sweet potato, 708
whitefringed beetle, 708
navel orangeworm,
Indianmeal moth, 1437
integrated pest management, 1437
nectarines,
Cydia pomonella, 1433
fumigation, 1433
neem,
Rhagoletis indifferens, 123
western cherry fruit fly, 123
Neoseiulus cucumeris,
biological control, 1307
Neoseiulus fallacis, 1307
Neoseiulus fallacis,
biological control, 1307
Neoseiulus cucumeris, 1307
neuroactive compounds,
alleochemicals, 841

antifeedant, 841
Nicotiana kawakamii,
Heliothis virescens, 759
pest management, 759
nutrition,
Apis mellifera, 1284
vitellogenin, 1284

O

Oemona hirta,
Cerambycidae, 1360
fecundity, 1360
Oleae europaea,
Bactrocera oleae, 993
epicuticular wax, 993
organophosphorus insecticide resistance,
esterase, 367
Lucilia cuprina, 367
Orius,
Carpophilus, 1058
Helicoverpa, 1058
Orius tristicolor,
Platytetranychus multidigituli, 250
Tetranychus urticae, 250
Oryzaephilus surinamensis,
Plodia interpunctella, 280
Tribolium castaneum, 280
Ostrinia nubilalis, 585, 1349
blacklight trap, 1349
host plant resistance, 585
pheromone trap, 1349
simulation model, 585

P

Panonychus ulmi, 191, 217, 352
acaricide, 217
Aculus schlechtendali, 191
Amblyseius fallacis, 191, 217
Tetranychus mcdanieli, 352
Tetranychus urticae, 352
parasitoid, 50, 101
Anisopteromalus calandrae, 50
Anthonomus grandis, 101
artificial diet, 101
biological control, 50
parasitoids,
biological control, 1315
greenbugs, 1315
pecan integrated pest management,
economics of integrated pest management, 1011
evaluation of integrated pest management, 1011
Pecan nut casebearer,
Acrobasis, 1005
pecan nut casebearer,
Carya illinoensis, 715
Pecan nut casebearer,
pecan weevil, 1005
pecan nut casebearer,
pheromone, 715
pecan weevil,
Acrobasis, 1005
Pecan nut casebearer, 1005
Pectinophora gossypiella,
Heterorhabditis entomopathogenic nematodes, 869
Steinernema, 869
Perillus bioculatus, 419, 1096
Bacillus thuringiensis tenebrionis, 1096
biological control, 1096
Leptinotarsa decemlineata, 419
Podisus maculiventris, 419
perimeter spray,
insecticidal baits, 473
Periplaneta fuliginosa, 473
Periplaneta fuliginosa,
insecticidal baits, 473
perimeter spray, 473
pest evolution,
evolutionary prediction, 565
Liriomyza trifolii, 565
pest management, 759, 923
Heliothis virescens, 759
Myzus persicae, 923
Nicotiana kawakamii, 759
potato leafroll virus, 923
phenoloxidase,
Cydia pomonella, 534
irradiation, 534
pheromone,
Carya illinoensis, 715
pecan nut casebearer, 715
pheromone lure,
Diaphania nitidalis, 950
trapping, 950
pheromone trap, 637, 1349
Anthonomus grandis, 637
bait stick, 637
blacklight trap, 1349
Ostrinia nubilalis, 1349

Phytobia betulae,
Betula, 175
larval tunnel, 175
Phytocoris spp.,
pistachio, 132
sex pheromone, 132
phytoplasma,
Sophonia rufofascia, 693
yield effects, 693
Phytoseiidae,
biological control, 94
Tetranychus urticae, 94
Pieris rapae,
Plutella xylostella, 699
Tricoplusia ni, 699
pine shoot beetle,
quarantine, 785
regulatory entomology, 785
pistachio,
Phytocoris spp., 132
sex pheromone, 132
pitfall trap,
probe trap, 1449
sticky trap, 1449
plant breeding,
Lactuca sativa, 999
Liriomyza trifolii, 999
plant resistance,
Sorghum bicolor, 1464
Stenodiplosis sorghicola, 1464
plant–insect interactions,
Lobesia botrana, 974
Vitis vinifera, 974
Platynota idaeusalis,
insect growth regulators, 200
stage specificity, 200
Platytetranychus multidigituli,
Orius tristicolor, 250
Tetranychus urticae, 250
Plodia interpunctella,
Oryzaephilus surinamensis, 280
Tribolium castaneum, 280
Plutella xylostella, 624, 699, 987, 1032, 1089, 1239
Bacillus thuringiensis, 1032, 1239
Brassica napus, 987, 1239
Brassica oleracea, 987
crucifers, 624
insecticide resistance, 624
integrated pest management, 1089
Pieris rapae, 699
resistance, 1032
Rorippa Nasturtium-aquaticum, 1089
Tricoplusia ni, 699
Podisus maculiventris,
Leptinotarsa decemlineata, 419
Perillus bioculatus, 419
pollination,
Bombus vosnesenskii, 71
tomatoes, 71
Postia placenta,
Gloeophylum trabeum, 650
Reticulitermes, 650
potato leafroll virus,
Myzus persicae, 923
pest management, 923
poultry,
Salmonella Infantis, 660
Typhaea stercorea, 660
predators,
Hemiptera, 401
modes of uptake, 401
probe trap,
pitfall trap, 1449
sticky trap, 1449
Prostephanus truncatus,
enumerative sampling, 1366
Sitophilus zeamais, 1366
protease inhibitors,
α-amylase inhibitors, 1265
leafrollers, 1265
protein,
Ceratitis capitata, 1355
traps, 1355
Pseudococcus viburni,
Epiphyas postvittana, 1458
high-pressure water washing, 1458
pyrethroid resistance,
genetic mapping, 1232
Tribolium castaneum, 1232
pyrethroid resistance management,
chlorfenapyr, 398
Haematobia irritans, 398
pyriproxyfen,
locust, 41
Schistocerca gregaria, 41

Q

quality control,
codling moth, 1122
sterile insect technique, 1122
quarantine, 182, 293, 302, 785
bark beetles, 182

Ceratitis capitata, 293
codling moth, 302
Gossypium hirsutum, 293
pine shoot beetle, 785
regulatory entomology, 785
respiration, 302
Tomicus piniperda, 182
queen acceptance,
Africanized, 1290
Apis mellifera, 1290

R

rearing technique,
bioassay technique, 1067
Frankliniella occidentalis, 1067
red flour beetle, 309, 773
cyfluthrin, 309, 773
sanitation, 773
treated surfaces, 309
regulatory entomology,
pine shoot beetle, 785
quarantine, 785
reproduction,
cyromazine, 847
Lucilia cuprina, 847
residues,
carbaryl, 665
Dendroctonus control, 665
resistance, 594, 981, 1032
Bacillus thuringiensis, 1032
common bean, 981
Diabrotica virgifera virgifera, 594
Empoasca fabae, 981
methyl parathion, 594
Plutella xylostella, 1032
resistance management, 572, 579, 1021
Bacillus thuringiensis, 579, 1021
Bacillus thuringiensis endotoxin, 572
European corn borer, 579
insecticide resistance, 1021
transgenic crops, 572
respiration,
codling moth, 302
quarantine, 302
Reticulitermes, 650, 1383
bait application, 1383
colony elimination, 1383
Gloeophylum trabeum, 650
Postia placenta, 650
Reticulitermes virginicus,
cytochrome P450, 1131
termite, 1131
Rhagoletis indifferens,
neem, 123
western cherry fruit fly, 123
Rhagoletis mendax,
ammonia baits, 243
traps, 243
Rhyzopertha dominica, 320, 1445
biological control, 320
Choetospila elegans, 320
crowding, 1445
flight initiation, 1445
rice weevil,
Angoumois grain moth, 899
lesser grain borer, 899
root injury,
Diabrotica spp., 723
maize, 723
root weevil,
developmental biology, 1173
Diaprepes abbreviatus, 1173
rootworms,
Diabrotica, 881
kairomonal attractants, 881
Rorippa Nasturtium-aquaticum,
integrated pest management, 1089
Plutella xylostella, 1089
row mixture,
imidacloprid, 376
Leptinotarsa decemlineata, 376
Russian wheat aphid,
insecta, 741
winter wheat, 741

S

Salmonella Infantis,
poultry, 660
Typhaea stercorea, 660
sampling, 457, 464
corn, 457
egg mass, 464
gypsy moth, 464
white grub, 457
sampling techniques,
Empoasca fabae, 143
management program, 143
sanitation,
cyfluthrin, 773
red flour beetle, 773
sap beetles,
Aspergillus flavus, 796
seasonality, 796

Scapteriscus abbreviatus,
juvenile hormone analog, 392, 392
turfgrass, 392, 392
Schistocera americana,
grasshoppers, 76
Metarhizium flavoviride, 76
Schistocerca gregaria,
locust, 41
pyriproxyfen, 41
Schizaphis graminum, 30, 1219
biotypes, 1219
development time, 1219
esterase, 30
greenbug, 30
Scirtothrips citri,
bioassay, 361
citrus pest management, 361
seasonality,
Aspergillus flavus, 796
sap beetles, 796
selection,
cross-resistance, 1225
Cydia pomonella, 1225
sex pheromone, 132, 480, 517
Phytocoris spp., 132
pistachio, 132
Spodoptera exigua, 517
Supella longipalpa, 480
supellapyrone, 480
trap, 517
simulation model, 21, 585
Bacillus thuringiensis, 21, 21
host plant resistance, 585
Leptinotarsa decemlineata, 21, 21
Ostrinia nubilalis, 585
Sitophilus zeamais,
enumerative sampling, 1366
Prostephanus truncatus, 1366
Smicronyx fulvus,
Helianthus annuus, 779
host plant resistance, 779
Sophonia rufofascia,
phytoplasma, 693
yield effects, 693
Sorghum bicolor,
plant resistance, 1464
Stenodiplosis sorghicola, 1464
soybean,
Epilachna varivestis, 546
host plant resistance, 546
soybean looper,
Bacillus thuringiensis, 1044
insecticide bioassays, 1044
Spalangia nigroaenea,
Muscidifurax zaraptor, 1114
Stomoxys calcitrans, 1114
spinosad,
borates, 1387
Incisitermes snyderi, 1387
spinosyn,
Heliothis virescens spinosad, 1277
tobacco budworm, 1277
Spodoptera,
fall armyworm, 539
Lepidoptera, 539
Spodoptera exigua, 263, 517, 1038
cotton, 263
cross-resistance, 1038
insecticide resistance, 1038
insecticide timing, 263
sex pheromone, 517
trap, 517
Spodoptera frugiperda, 1213, 1471
Diatraea grandiosella, 1213, 1471
Zea mays, 1213, 1471
Spondoptera exigua,
lettuce, 56
synthetic natural insecticides, 56
spray dried animal blood,
Cochliomyia hominivorax, 1397
diet, 1397
stage specificity,
insect growth regulators, 200
Platynota idaeusalis, 200
Steinernema, 869, 1320
Heterorhabditis entomopathogenic nematodes, 869
mulch, 1320
Pectinophora gossypiella, 869
Strobilomyia neanthracina, 1320
Steinernema carpocapsae,
Heterorhabditis bacteriophora, 410
synergy, 410
Steinernema spp.,
Cyclocephala hirta, 428
Heterorhabditis spp., 428
Stenodiplosis sorghicola,
plant resistance, 1464
Sorghum bicolor, 1464
sterile insect technique,
codling moth, 1122

quality control, 1122
sticky trap,
pitfall trap, 1449
probe trap, 1449
sticky traps,
Diabrotica virgifera virgifera, 957
economic thresholds, 957
Stomoxys calcitrans, 159, 1114
cylindrical Alsynite traps, 159
habitat-oriented movement, 159
Muscidifurax zaraptor, 1114
Spalangia nigroaenea, 1114
strawberry,
Fragaria, 678
Tetranychus urticae, 678
Strobilomyia neanthracina,
mulch, 1320
Steinernema, 1320
sunflower insect,
Bacillus thuringiensis, 1084
Cochylis hospes, 1084
Supella longipalpa,
sex pheromone, 480
supellapyrone, 480
supellapyrone,
sex pheromone, 480
Supella longipalpa, 480
survival, 968, 1162
Anastrepha suspensa, 968
crowding, 968
host plant suitability, 1162
Lymantria mathura, 1162
sweet pepper,
economic injury level, 671
Frankliniella occidentalis, 671
sweet potato,
Naupactus spp., 708
whitefringed beetle, 708
sweetpotato weevil,
actograph, 439
flight mill, 439
synergism,
Beauveria bassiana, 110
Metarhizium anisopliae, 110
synergy,
Heterorhabditis bacteriophora, 410
Steinernema carpocapsae, 410
synthetic natural insecticides,
lettuce, 56
Spondoptera exigua, 56

T

Taedia scrupeus,
grapes, 507
Vitis, 507
Tanypodinae,
Chironomidae larvae, 1375
Glyptotendipes paripes, 1375
temperature,
Cryptotermes brevis, 905
thermotolerance, 905
temperature establishment,
Epiphyas postvittana, 287
high-temperature controlled atmosphere, 287
temperature sensitive lethal,
Ceratitis capitata, 1406
genetic sexing strain, 1406
termite,
cytochrome P450, 1131
Reticulitermes virginicus, 1131
Tetanops myopaeformis,
Beta vulgaris, 522
yield reduction, 522
Tetranychus mcdanieli,
Panonychus ulmi, 352
Tetranychus urticae, 352
Tetranychus pacificus,
carbon dioxide, 1427
controlled atmospheres, 1427
Tetranychus telarius,
Bemisia argentifolii, 1401
Liriomyza trifolii, 1401
Tetranychus urticae, 94, 250, 352, 608, 678, 767
Bemisia argentifolii, 608
biological control, 94
ethanol, 767
Fragaria, 678
immersion, 767
Orius tristicolor, 250
Panonychus ulmi, 352
Phytoseiidae, 94
Platytetranychus multidigituli, 250
strawberry, 678
Tetranychus mcdanieli, 352
Trialeurodes vaporariorum, 608
Thanasimus undatulus,
aggregation pheromones, 500
Dendroctonus pseudotsugae, 500
thermotolerance,
Cryptotermes brevis, 905

temperature, 905
Thrips tabaci,
cabbage, 329
host plant resistance, 329
tobacco budworm,
Heliothis virescens spinosad, 1277
spinosyn, 1277
tomato,
Bemisia argentifolii, 686
imidacloprid, 686
tomatoes,
Bombus vosnesenskii, 71
pollination, 71
Tomicus piniperda, 182, 492
bark beetles, 182, 492
Christmas trees, 492
quarantine, 182
Tortricidae,
Lepidoptera, 1341
Lobesia botrana, 1341
toxicity,
fungicides, 802
Typhlodromus pyri, 802
transgenic crops,
Bacillus thuringiensis endotoxin, 572
resistance management, 572
trap,
sex pheromone, 517
Spodoptera exigua, 517
trap-catch,
Blattella germanica, 1136
distribution, 1136
trapping,
Diaphania nitidalis, 950
pheromone lure, 950
traps, 243, 1355
ammonia baits, 243
Ceratitis capitata, 1355
protein, 1355
Rhagoletis mendax, 243
treated surfaces,
cyfluthrin, 309
red flour beetle, 309
Trialeurodes vaporariorum,
Bemisia argentifolii, 608
Tetranychus urticae, 608
Tribolium castaneum, 280, 1232
genetic mapping, 1232
Oryzaephilus surinamensis, 280
Plodia interpunctella, 280
pyrethroid resistance, 1232
Trichoplusia ni,
Bacillus thuringiensis, 1109
formulation, 1109
Tricoplusia ni,
Pieris rapae, 699
Plutella xylostella, 699
(Z)-9-tricosene,
female sex pheromone, 915
Musca domestica, 915
Tridiscus sporoboli,
mealybugs, 340
Trionymus sp., 340
Trionymus sp.,
mealybugs, 340
Tridiscus sporoboli, 340
turfgrass,
juvenile hormone analog, 392, 392
Scapteriscus abbreviatus, 392, 392
Typhaea stercorea,
poultry, 660
Salmonella Infantis, 660
Typhlodromus pyri,
fungicides, 802
toxicity, 802

V

Vaccinium ashei,
Bactrocera tryoni, 964
Vaccinium corymbosum, 964
Vaccinium corymbosum,
Bactrocera tryoni, 964
Vaccinium ashei, 964
variability,
bias, 891
insect lower developmental thresholds, 891
Varroa,
chalkbrood, 64
honey bee hygienic behavior, 64
Varroa jacobsoni,
Apis mellifera, 851
honey bee, 851
Vespula germanica,
control, 486
Israel, 486
vitellogenin,
Apis mellifera, 1284
nutrition, 1284
Vitis,
grapes, 507
Taedia scrupeus, 507

Vitis vinifera,
Lobesia botrana, 974
plant–insect interactions, 974

W

western cherry fruit fly,
neem, 123
Rhagoletis indifferens, 123
wheat resistance,
Diaeretiella rapae, 334
Diuraphis noxia, 334
white grub,
corn, 457
sampling, 457
whiteflies, 820, 1196
Bemisia argentifolii, 1196
bifenthrin, 820
cotton, 1196
insecticide resistance, 820
whitefringed beetle,
Naupactus spp., 708
sweet potato, 708
winter wheat,
insecta, 741
Russian wheat aphid, 741

Y

yield, 7, 235
chemical control, 235
citrus thrips, 235
Colorado potato beetle, 7
defoliation, 7
yield effects,
phytoplasma, 693
Sophonia rufofascia, 693
yield loss,
Agrotis ipsilon, 748
corn silage, 748
yield reduction,
Beta vulgaris, 522
Tetanops myopaeformis, 522

Z

Zea mays, 444, 1213, 1331, 1471
bioassay, 444, 1331
Diabrotica virgifera virgifera, 444, 1331
Diatraea grandiosella, 1213, 1471
Spodoptera frugiperda, 1213, 1471